

EAST SEARCH

11/21/2008

L#	Hits	Search String	Databases
S1	4952	radio adj (network or networks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S2	4996	cellular adj (network or networks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S3	851	((cellular adj (network or networks)) and (digital adj cellular))	US-PGPUB; USPAT; EFDbs
S4	2032	(radio adj (network or networks)) and digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S5	2734	((cellular adj (network or networks)) and (digital adj cellular)) or ((radio adj (network or networks)) and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S6	1006	((cellular adj (network or networks)) and (digital adj cellular)) or ((radio adj (network or networks)) and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S7	549	((cellular adj (network or networks)) and (digital adj cellular)) or ((radio adj (network or networks)) and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8	3	((cellular adj (network or networks)) and (digital adj cellular)) or ((radio adj (network or networks)) and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S9	4	((cellular adj (network or networks)) and (digital adj cellular)) or ((radio adj (network or networks)) and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S10	77	((cellular adj (network or networks)) and (digital adj cellular)) or ((radio adj (network or networks)) and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S11	37	((cellular adj (network or networks)) and (digital adj cellular)) or ((radio adj (network or networks)) and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S12	48	((cellular adj (network or networks)) and (digital adj cellular)) or ((radio adj (network or networks)) and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S13	9377	(radio adj (network or networks)) or (cellular adj (network or networks))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S14	4575	(radio adj (network or networks)) or (cellular adj (network or networks)) and digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S15	1535	((radio adj (network or networks)) or (cellular adj (network or networks))) and digital and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S16	4	(radio adj (network or networks)) or (cellular adj (network or networks)) and digital and frame and coding adj modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S17	5	((radio adj (network or networks)) or (cellular adj (network or networks))) and digital and frame and coding adj modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S18	818	((radio adj (network or networks)) or (cellular adj (network or networks))) and digital and frame and coding adj modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S19	0	((radio adj (network or networks)) or (cellular adj (network or networks))) and digital and frame and coding adj modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S20	0	((radio adj (network or networks)) or (cellular adj (network or networks))) and digital and frame and coding adj modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S21	165	((radio adj (network or networks)) or (cellular adj (network or networks))) and digital and frame and coding adj modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22	41	((radio adj (network or networks)) or (cellular adj (network or networks))) and digital and frame and coding adj modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S23	57	((radio adj (network or networks)) or (cellular adj (network or networks))) and digital and frame and coding adj modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S24	999	GSM standard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S25	374	GSM standard and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S26	206	("GSM standard" and frame) and slots	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S27	189	("GSM standard" and frame) and slots and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S28	N/A	((("GSM standard" and frame) and slots) and control) and synch\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S29	12	GSM standard and (signalling with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S30	6424	TDMA and cod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S31	3569	(TDMA and cod\$3) and frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S32	3357	((TDMA and cod\$3) and frame\$1) and control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S33	1187	((TDMA and cod\$3) and frame\$1) and control\$3 and (control adj (slot or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S34	525	((TDMA and cod\$3) and frame\$1) and control\$3 and (control adj (slot or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S35	423	((TDMA and cod\$3) and frame\$1) and control\$3 and (control adj (slot or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S36	91	((TDMA and cod\$3) and frame\$1) and control\$3 and (control adj (slot or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S37	1	((TDMA and cod\$3) and frame\$1) and control\$3 and (control adj (slot or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S38	15	((TDMA and cod\$3) and frame\$1) and control\$3 and (control adj (slot or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S39	165	GSM and FACCH	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S39	17	(GSM and FACCH) and ((encod\$3 or decod\$3) with control adj (slot or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S40	1	(GSM and FACCH) and (coding adj modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S41	13	(GSM and FACCH) and (signalling with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S42	22	(GSM and FACCH) and (coding with FACCH)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S43	7	(GSM and FACCH) and (field\$1 with FACCH)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S44	56228	(radio near2 network\$1) or (telecommunication near2 (system or network\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S45	20156	cellular near2 network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S46	70244	S44 or S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S47	21	S46 and (multi-frame with transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S48	175	S46 and multi-frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S49	79	S48 and (control near2 signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S50	34	S49 and ((partition\$3 or split\$4) near2 signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S51	95	S48 and (number near2 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S52	34	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S53	2	6.279, 158.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S54	62093	(radio near2 network\$1) or (telecommunication near2 (system or network\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S55	22992	cellular near2 network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S56	78036	S54 or S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S57	191	S56 and multi-frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S58	85	S57 and (control near2 signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S59	35	S58 and ((partition\$3 or split\$4) near2 signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S60	101	S57 and (number near2 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S61	35	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S62	0	S58 and (partition\$3 near2 signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S63	0	S56 and (multi-frame with (control or signal) with (split\$4 or partition\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S64	511	S56 and ((control or signal) with (partition\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S65	9	S56 and ((control near2 signal) with partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S66	48	S56 and ((control or signal) with (partition\$3) with bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S67	250	S56 and ((control or signal) with (multi-frame or multiframe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S68	2	S66 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S69	1505	S56 and ((control or signal) with (assembl\$3 or synthesiz\$3 or form\$3) with bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S70	46	S56 and ((control near2 signal) with (assembl\$3 or synthesiz\$3 or form\$3) with bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S71	1	S66 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S72	2	6.418, 558.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S73	1	S72 and (control with (multi-frame or multiframe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S75	1	S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S74	1	S72 and (bit\$1 with (multi-frame or multiframe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S76	0	S72 and (control near2 signal) with (assembl\$3 or synthesiz\$3 or form\$3) with bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S77	1	S72 and ((NBS or CMD) with frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S78	131	S56 and (bit\$1 with (multi-frame or multiframe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S79	90	S67 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S80	20	S56 and ((control with signal) with (multi-frame or multiframe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S81	16	S80 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S82	104	S56 and (bit\$1 with (multi-frame or multiframe) with frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S83	104	S56 and (bit\$1 with (multi-frame or multiframe) with frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S84	74	S67 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S89	68019	(radio near2 network\$1) or (telecommunication near2 (system or network\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S90	26011	cellular near2 network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S91	86034	S89 or S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S92	560	S91 and (multi-frame or multiframe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S93	328	S92 and (control near2 (signal\$1 or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S94	0	S93 and (partion\$3 near2 (signal\$1 or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S95	569	S91 and ((control or signal) with (partition\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S96	269	S91 and ((control or signal) with (multi-frame or multiframe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S97	11	S95 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S98	49	S91 and ((control near2 signal) with (assemb\$3 or synthesiz\$3 or form\$3) with bit\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S99	140	S91 and (bit\$1 with (multi-frame or multiframe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S100	98	(S95 or S96) and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S101	22	S91 and ((control with signal) with (multi-frame or multiframe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S102	17	S99 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S103	108	S91 and (bit\$1 with (multi-frame or multiframe) with frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S104	79	(S95 or S96) and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S105	157	S97 or S98 or S100 or S101 or S102 or S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S106	1238	S91 and ((code adj word) or codeword)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S107	3	S105 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S108	312	S96 or S99 or S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S109	560	S92 or S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S110	23	S106 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S111	24	S107 or S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S112	18953	S91 and (control near2 (signal\$1 or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S113	694	S106 and S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S114	370	S113 and (control with bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S115	85	S91 and ((control near2 (signal\$1 or information)) same ((code adj word) or codeword	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB